


BIBO CEILING


Design Telonius Whitehead



_BIBO CEILING E BIBO WALL SONO DUE LAMPADE SORELLE. HANNO DUE CARATTERI DIVERSI. UNA HA IL COLLO LUNGO E ILLUMINA DALL'ALTO; L'ALTRA STA LÌ ELEGANTE SULLA PARETE. DUE SONO LE LORO LUCI. UNA TONDA GRANDE PER ILLUMINARE LA STANZA; UNA PICCOLA CHE, SILENZIOSA E APPARENTEMENTE DISTRATTA, SI ACCENDE RAPIDAMENTE QUANDO VIENE A MANCARE LA CORRENTE ELETTRICA. E TI SALVA, DAI PERICOLOSI MOSTRI NASCOSTI NEL BUIO.

BIBO WALL

Design Telonius Whitehead




_BIBO CEILING AND BIBO WALL CAN BE DESCRIBED AS "SISTER" LAMPS. THEY HAVE DIFFERENT CHARACTERISTICS: ONE HAS A LONG "NECK" AND SHINES FROM ABOVE, WHILE THE OTHER, LOOKING VERY ELEGANT, IS FIXED TO THE WALL. THEY ILLUMINATE IN DIFFERENT WAYS: ONE IS LARGE AND ILLUMINATES THE WHOLE ROOM AND THE OTHER IS SMALL, "SILENT" AND APPARENTLY "NOT WORKING", BUT IT SWITCHES ON IMMEDIATELY WHEN THERE IS A POWER FAILURE AND PROTECTS YOU FROM DANGEROUS LURKING IN THE DARKNESS.

04




BIBO CEILING

Design Telonius Whitehead



BIBO WALL

Design Telonius Whitehead



Descrizione

Lampada so#tto + Luce anti balck out
In caso di black out la lampada piccola si
accende automaticamente.
La sua autonomia è di 2 ore.

Description

*Ceiling lamp + anti black-out lamp
In the event of a black out the small lamp
switches on automatically.
Its operating time is 2 hours.*

Materiali

Corpo: pressofusione in alluminio
Diffusore diametro 125 mm: vetro stratificato
opalino
Diffusore diametro 75mm: polietilene ad
alta densita'

Materials

*Body: die-cast aluminium
Diffuser with a diameter of 125 mm:
stratified opal glass
Diffuser with a diameter of 75mm:
polyethylene high density*

Sorgente luminosa

Luce principale BIBO ceiling : max 60W G9 alogena
Luce principale BIBO wall : max 75W G9 alogena

Luce torcia: LED 0,5 W

Light source



*Main light for BIBO ceiling : halogen, max 60W G9
Main light for BIBO wall : halogen, max 75W G9*

Torch light: LED 0.5 W


Certificazioni




MADE IN
ITALY EU
Design Registrato



Colori/ Codici
Colour/ Code



codice / code **cod. 20.4.010.00** **cod. 20.4.015.00** **cod. 20.4.016.00** **cod. 20.4.017.00** **cod. 20.4.018.00** **cod. 20.4.019.00**



codice / code **cod. 20.3.010.00** **cod. 20.3.015.00** **cod. 20.3.016.00** **cod. 20.3.017.00** **cod. 20.3.018.00** **cod. 20.3.019.00**

N.B. Per l'installazione delle lampade serie BIBO Wall e BIBO Ceiling l'impianto deve essere provvisto di linea di alimentazione supplementare non interrotta da dispositivi. Per maggiori informazioni vedere le relative istruzioni di montaggio disponibili nel nostro sito www.olo-multilayer.eu.

NOTE: For the mounting of series Bibo Wall and Bibo Ceiling lamps the wiring system must be equipped with an additional power supply line not interrupted by other devices. To have further information see the relative mounting instructions available on our website www.olo-multilayer.eu.

